Google scholar   dividing multiplying percentage maximum total [Search]   Advanced Scholar Search
Scholar Preferences

◉ Search only in Engineering, Computer Science, and Mathematics.
◯ Search in all subject areas.

Scholar | ─ 2004 | include citations | Results **1** - **100** of about 115. (0.35 sec)

Load balancing and failover
N Malpani, X Yao, CA Musta - US Patent App. 10/815,349, 2004 - Google Patents
... ease of reference, that represents the **percentage** of a ... **load balancing** value is computed
by **dividing** the **total** ... generate a first value and **multiplying** the first ...
All 2 versions

[PDF] ▶ Parallel programming
B Wilkinson, M Allen, 1999 - sizzle.cs.kookmin.ac.kr
... to **divide** network into two equal parts. ... when E is given as a **percentage**. ... For example,
adding two matrices has this effect, but **multiplying** matrices does not. ...
Cited by 149 - Related articles - View as HTML - All 12 versions

[PDF] ▶ A Load Balancing Algorithm Using Radio Signal Strength and Sensitivity for the Multipath ...
HT El-Kassabi, 2003 - Citeseer
... to-end delay, delay per packet and **total** number of ... less **data** transmission delay than
larger satellites ... forcing the packet to travel through a **maximum** number of ...
Cited by 1 - Related articles - View as HTML - All 6 versions

Symbolic performance modeling of parallel systems
AJC van Gemund - IEEE Transactions on Parallel and Distributed Systems, 2003 - doi.ieeecomputersociety.org
... M\bigr.$ server, load balanced system with **total** service demand $\big. ... The **maximum**
error (50 **percent**) occurs for load-balanced systems (ie, $\big. ...
Cited by 37 - Related articles - BL Direct - All 9 versions

[PDF] ▶ Scalable and adaptive load balancing on IBM Power NP
R Russo, L Kencl, B Metzler, P Droz - Research Report RZ-3431, IBM Zurich Research ..., 2002 - Citeseer
... with shorter access times (RAID systems), as the server's **maximum** ... and the list goes
on for a **total** of $4 ... a great **percentage** of server power is depleted for the ...
Cited by 8 - Related articles - View as HTML - All 5 versions

The vector-thread architecture- ▶ psu.edu [PDF]
R Krashinsky, C Batten, M Hampton, S Gerding ... - ACM SIGARCH Computer Architecture News, 2004 - portal.acm.org
... 1 supports fetch instructions, and cluster 3 sup- ports integer **multiply** and **divide**. ...
changes with each re-configuration to reflect the **maximum** num- ber of ...
Cited by 77 - Related articles - BL Direct - All 43 versions

The WarpEngine: An architecture for the post-polygonal age- ▶ psu.edu [PDF]
V Popescu, J Eyles, A Lastra, J Steinhurst, N ... - Proceedings of the 27th annual conference on ..., 2000 - portal.acm.org
... non-zero translation from reference position) one could save a **multiply** by **dividing**
all w's ... of tiles per frame ranges from a few thousand to a **maximum** of a ...
Cited by 59 - Related articles - All 12 versions

A dynamic multithreading processor- ▶ psu.edu [PDF]
H Akkary, MA Driscoll - Proceedings of the 31st annual ACM/IEEE ..., 1998 - portal.acm.org
... are reported based on **total** execution time and as a **percentage** speedup over a 4 ... The
latencies are 1 cycle for the ALU, 3 for **multiply**, 20 for **divide**, and 3 ...
Cited by 266 - Related articles - BL Direct - All 27 versions

[PDF] ▶ Linux advanced **routing** & traffic control howto
B Hubert... - setembro de, 2002 - ds9a.nl
... The MTU size (**Maximum** Transfer Unit) is 3924 octets, and it is not supposed to ...
espa043.austin.ibm.com (9.3.76.43) from 9.3.76.41 : 56(84) **bytes** of **data**. ...
Cited by 113 - Related articles - View as HTML - All 264 versions

[PDF] ▶ Scheduling parallel computations in a heterogeneous environment
JB Weissman - University of Virginia, Charlottesville, VA, 1996 - Citeseer
... P T = **total** number of processors selected T = application communication ... b = message
size in **bytes** ... ear chains [9][65], and when the **maximum** communication cost ...
Cited by 21 - Related articles - View as HTML - All 6 versions

[PDF] ▶ High-throughput **routing** for multi-hop wireless networks
DSJ De Couto, 2004 - Citeseer
... its complement, delivery ratio, is the **percentage** of transmitted ... minimum- ETX **route**
is the **maximum**-throughput **route** ... layer header specifies the **total** length of ...
Cited by 18 - Related articles - View as HTML - All 12 versions

Load balanced scalable network gateway processor architecture
D Pham, N Pham, T Le Nguyen - US Patent App. 09/976,229, 2001 - Google Patents
... speed, here defined as the **maximum** bandwidth of ... more compute intensive, typically
involving **data** conversions and ... opera- tions with a **total** throughput readily ...
Related articles - All 5 versions

Scalable network gateway processor architecture
D Pham, N Pham, T Le Nguyen - US Patent App. 09/976,322, 2001 - Google Patents
... speed, here defined as the **maximum** bandwidth of ... more compute intensive, typically
involving **data** conversions and ... opera- tions with a **total** throughput readily ...
All 4 versions

External memory algorithms and **data** structures: Dealing with massive **data**- ▶ psu.edu [PDF]
JS Vitter - ACM Computing Surveys (CSUR), 2001 - portal.acm.org
... rather than in units of **bytes**.) In this ... 7 Filtering § 11 Lazy Updating § 10.4 **Load
Balancing** § 4 Locality ... **data** structures, and we also investigate kinetic ...
Cited by 483 - Related articles - BL Direct - All 20 versions

The DASH prototype: Logic overhead and performance- ▶ psu.edu [PDF]
D Lenoski, J Laudon, T Joe, D Nakahira, L ... - IEEE Transactions on Parallel and Distributed Systems, 1993 -
doi.ieeecomputersociety.org
... processors, it is limited to a **maximum** configuration of ... caches instead of clusters),
the **percent** of directory ... up to 512 clusters (2048 **total** processors) while ...
Cited by 204 - Related articles - All 28 versions

[PDF] ▶ REMOTE **DATA** BACKUP SYSTEM FOR DISASTER RECOVERY
H Lin, 2004 - scholarspace.manoa.hawaii.edu
... **percent** per year in subscriptions. ... Though it may reduce the **maximum** server load,
it increases the probability of failure. ... where N is the number of **total** disks. ...
Related articles - All 2 versions

[PDF] ▶ Investigation of the performance of 100mbit and gigabit ethernet components using raw
...
R Hughes-Jones, F Saka, 2000 - Citeseer
... to memory using a series of PCI bursts with a **maximum** length of 380 **bytes**. ... transfer
times over PCI, and the green bars show the **total** time associated ...
Cited by 7 - Related articles - View as HTML - All 8 versions

[BOOK] ... loops for high performance computers: partitioning, **data** assignment, and remapping
DE Hudak, SG Abraham, 1993 - books.google.com
... the sample tiles 120 4.4 The **percentage** difference between ... ie, the smallest number
of **bytes** which may ... of the loop partitioning and **data** assignment techniques ...

Cited by 20 - Related articles - BL Direct - All 3 versions

The DASH prototype: Implementation and performance- ▶psu.edu [PDF]
D Lenoski, J Laudon, T Joe, D Nakahira, L ... - Proceedings of the 19th annual international ..., 1992 -
portal.acm.org
... **maximum** configuration of 16 clusters and 64 processors. ... 95 Page 5. Table 2. **Percent**
of core logic in a DASH cluster. ... 0.0% 0.0%0 0.0% O.wo **Total** 456 1268 73 2286 ...
Cited by 214 - Related articles - BL Direct - All 21 versions

[PDF] ▶ Dynamic **load balancing** issues in the EARTH runtime system
KP Kakulavarapu, 1999 - Citeseer
... depth study of their behavior with **divide**-and-conquer ... ensure **maximum** possible
utilization of the CPU resources ... thereby the **total** program execution time is a far ...
Cited by 4 - Related articles - View as HTML - All 2 versions

High-throughput **routing** for multi-hop wireless networks- ▶mit.edu [PDF]
RT Morris, DSJ De Couto, 2004 - dspace.mit.edu
... its complement, delivery ratio, is the **percentage** of transmitted ... The physical layer
header specifies the **total** length of the ... is doubled, up to the **maximum** value ...
Related articles - All 3 versions

Filtering and **route** lookup in a switching device
DC Ferguson, R Patel, G Cheung, PS Sindhu - US Patent 6,798,777, 2004 - Google Patents
... US 6,798,777 BI RECEIVE **DATA** PACKET 1800 **DIVIDE** PACKET INTO ... buffer must be sized
to meet the **maximum** through- put ... pointer that points to a starting **byte** in the ...
Cited by 2 - Related articles - All 6 versions

Methods and computer programs for generating **data** traffic matrices
N McKee, P Phaal - US Patent App. 10/877,853, 2004 - Google Patents
... contains the unique node pair and **multiplying** that count ... collected can be derived
by **dividing** the **total** ... traffic (or alternatively, a known **percentage** of **data** ...
All 2 versions

[PDF] ▶ Global combine algorithms for 2-D meshes with wormhole **routing**
M Barnett, R Littlefield, DG Payne, RA Geijn - Journal of Parallel and Distributed Computing, 1995 - Citeseer
... as simple as distributed matrix-vector **multiply** and as ... that are naturally used by
many recursive **divide**-and-conquer ... where k is the **maximum** number of messages ...
Cited by 35 - Related articles - View as HTML - BL Direct - All 6 versions

Blue Matter, an application framework for molecular simulation on Blue Gene- ▶ieitl.org [PDF]
BG Fitch, RS Germain, M Mendell, J Pitera, ... - Journal of Parallel and Distributed Computing, 2003 - Elsevier
... The target configuration contains a **maximum** of 65,536 compute ... mean square deviation
(RMSD) of the **total** energy for ... with time step to a fraction of a **percent**. ...
Cited by 56 - Related articles - All 12 versions

[PDF] ▶ Workload Characterization and Performance for a Network Processor
M Miyazaki, 2002 - palms.ee.princeton.edu
... queue, which effectively controls the **percentage** of the ... 3) 1518 **Bytes** The
maximum-size Ethernet packets ... Packet Size (**Bytes**) Proportion of **Total** Traffic Load ...
Cited by 2 - Related articles - View as HTML - All 2 versions

Design methodology for a modular service-driven network processor architecture
M Gabrani, G Dittmann, A Doering, A ... - Computer Networks, 2003 - Elsevier
... performance components allow them to accommodate fully a sizable **percentage** of traffic. ...
assuming a minimum packet size of about 40 **bytes** and a **total** of 5 ...
Cited by 10 - Related articles - All 5 versions

Design, Analysis, and Simulation of I/O Architectures for Hypercube Multiprocessors
R AL NARASIMHA, P BANERJEE - IEEE TRANSACTIONS ON PARALLEL AND ..., 1990 -
doi.ieeecomputersociety.org

... The table reports the **percentage** increase in the message ... h of the message rate r,
the **total** I/O ... Asymptotically, the **maximum** value of the network throughput is ...
Related articles - All 2 versions

[BOOK] BGP: Building reliable networks with the border gateway protocol
I Van Beijnum, 2002 - books.google.com
... header (usually 5 32-bit words); the **Total** Length is ... of the entire IP packet, including
the header, in **bytes**. ... This happens when the **maximum** packet size on a ...
Cited by 27 - Related articles - All 2 versions

Systems and methods for processing packets
DC Ferguson, R Patel, G Cheung, PS Sindhu - US Patent App. 10/920,237, 2004 - Google Patents
... 0018682 AI RECEIVE **DATA** PACKET 1800 \J **DIVIDE** PACKET INTO ... buffer must be sized to
meet the **maximum** through- put ... a pointer that points to a starting **byte** in the ...
Cited by 1 - Related articles - All 4 versions

[PDF] ▶ Polygon rendering for interactive visualization on multicomputers
DA Ellsworth, 1996 - Citeseer
... Table 6.13: **Percentage** of additional time taken when using between ... 128 Table 7.4:
Maximum message size, in kilobytes ... 42 Figure 4.2: **Total** processing cost for **load** ...
Cited by 10 - Related articles - View as HTML - All 9 versions

[PDF] ▶ Efficient search in peer-to-peer networks
B Yang, H Garcia-Molina - Proceedings of the International Conference on ..., 2002 - Citeseer
... either the query is satisfied, or the **maximum** depth limit ... 50 KB – independent of
the **total** size of the network ... **Percentage** of Query messages dropped (Appendix A ...
Cited by 300 - Related articles - View as HTML - All 24 versions

[PDF] ▶ Evaluation of a Scalable Decoupled Microprocessor Design
GS Tyson, 1988 - Citeseer
... 3.9.4 Address/**Data** Buers : : : : : 31 ... 46 4.5.2 **Load Balancing** : : : : : 46 ...
Cited by 4 - Related articles - View as HTML - All 6 versions

[BOOK] The impact of vector and parallel architectures on the Gaussian elimination algorithm
Y Robert, 1990 - books.google.com
... progresses, the amount of work decreases, so that tuned **data** allocation strategies
will ... is still possible, but it amounts to post-**multiplying** the coefficient ...
Cited by 52 - Related articles - All 4 versions

[PDF] ▶ TAM - A Compiler Controlled Threaded Abstract Machine
DE Culler, SC Goldstein, KE Schauser, T ... - Journal of Parallel and Distributed Computing, 1993 - Citeseer
... This **route** proved more effective than supporting the ... and an inter-frame scheduling
data structure used ... hold the **maximum** number of concurrently enabled threads. ...
Cited by 194 - Related articles - View as HTML - BL Direct - All 15 versions

[PDF] ▶ Measurement based comparison between VoIPoMPLS and VoIP using software routers
IR Quadri, 2004 - Citeseer
... Figure 5.2: **Percentage** CPU Utilization across Ingress, Core and Egress routers for ...
consists of a header followed by a number of **bytes** of **data** called payload ...
Related articles - View as HTML - All 5 versions

"Topologies"—distributed objects on multicomputers
K Schwan, W Bo - ACM Transactions on Computer Systems (TOCS), 1990 - portal.acm.org
... compu- tational tasks dynamically, typically using **divide** and conquer ... the reduced
amounts of **data** to other nodes, thereby reducing **total** communication as ...
Cited by 23 - Related articles - All 4 versions

[PDF] ▶ Parallel Application Software on High Performance Computers I. The IBM SP2 and Cray
...
RJ Allan, MF Guest - Daresbury Laboratory, 1996 - Citeseer

... 89 8.2.2 **Data** Parallel and Virtual Shared Memory Environments ... Potential, VCoul;
construction of the exchange-correlation potential, VXC; and the **total** time ...

Cited by 1 - Related articles - View as HTML - All 7 versions

[PDF] ❧ **... Analysis of a VBR Video Server with Self-Similar Gamma Distributed Data**
RV Ramirez-Velarde, 2004 - copernico.mty.itesm.mx
... at the same time storing the **maximum** amount of ... ie pixels), and the number of **bytes**
which are ... A profile of user identification and other **data**, preferred movie ...

Related articles - View as HTML

[PDF] ❧ **Real-Time Compressed Video Transmission Across the Common Data Link**
TO Walker, 1995 - dtic.mil
... 2] **divide** applications into two general service types: elastic and ... the various
real-time and elastic **data** flows ... that the Parekh and Gallager **maximum** delay bound ...

All 4 versions

**Parallel processing system having a synchronous SIMD processing with processing elements
...**
PA Wilkinson, JW Dieffenderfer, PM Kogge, ... - US Patent 5,765,011, 1998 - Google Patents
... Corporation. Armonk. NY [21] Appl. No.: 233,210 [22] Filed: Apr. 26, 1994 Related
US Application **Data** [63] Continuation of Ser. No. 888,680 ...

Cited by 9 - Related articles - All 2 versions

GIOSS: text-source discovery over the Internet- ❧ psu.edu [PDF]
L Gravano, H Garcia-Molina, A Tomasic - ACM Transactions on Database Systems (TODS), 1999 -
portal.acm.org
... the subject areas covered by the different **data** sources are ... n/d i , where n is the
total number of ... normalized vector D is typically obtained by **dividing** each w ...

Cited by 279 - Related articles - All 36 versions

[PDF] ❧ **Ray tracing on a stream processor**
TJ Purcell, 2004 - Citeseer
... only a small fraction of the **total** light particles ... the construction of a photon map
data structure, which ... each of which is designed for **maximum** performance on ...

Cited by 75 - Related articles - View as HTML - All 5 versions

[PDF] ❧ **Massive Data**
JS VITTER - ACM Computing Surveys, 2001 - Citeseer
... rather than in units of **bytes**.) In this ... 7 Filtering § 11 Lazy Updating § 10.4 **Load
Balancing** § 4 Locality ... **data** structures, and we also investigate kinetic ...

Related articles - View as HTML - All 16 versions

[PDF] ❧ **Dealing with Massive Data**
JS Vitter - ACM Computing Surveys, 2001 - verona.dei.unipd.it
... of items rather than in units of **bytes**.) In this ... For **routing** considerations, one
desired property for the network is the capability to sort the M **data** items in ...

Cited by 4 - Related articles - View as HTML - All 10 versions

[BOOK] **CCIE: Cisco certified internetwork expert: study guide**
R Payne, K Manweiler, J Swartz, 2003 - books.google.com
... is set using statistical analysis, which usually varies between 50 and 75 **percent**. ...
R&S Lab Examination The **Routing** and Switching lab exam is a full, one-day ...

All 3 versions

Large join optimization on a hypercube multiprocessor- ❧ scilib.kiev.ua [PDF]
ET Lin, ER Omiecinski, S Yalamanchili - IEEE Transactions on Knowledge and Data ..., 1994 -
doi.ieeecomputersociety.org
... a large join query by allocating the **maximum** number of ... w S w T can be estimated by
multiplying the cardinalities ... turn has an effect on the **total** execution time ...

Cited by 10 - Related articles - BL Direct - All 7 versions

[PDF] ▶ The implementation of BLAS level 3 on the AP1000: Preliminary Report
PE Strazdins, RP Brent - Proceedings of the Second Fujitsu-ANU CAP ..., 1991 - Citeseer
... m = M/N y ,k = K/N x ... efficiently integrated into the parallel
non-systolic **multiply**-add method ... are given in Table 4. As the **maximum** matrix size ...
Cited by 2 - Related articles - View as HTML - All 10 versions

[PDF] ▶ On the LU factorization of sequences of identically structured sparse matrices within a
...
SM Hadfield, 1994 - Citeseer
... 6-3 **Percentage** of Communication Reduction ... assemblyDAG dene the necessary **data**
communicationbetweenfrontal matrices ... sequence of a matrix **multiply**, two triangular ...
Cited by 23 - Related articles - View as HTML - All 12 versions

[BOOK] Numerical linear algebra for high-performance computers
JJ Dongarra, IS Duff, HA van der Vorst, DC ..., 1998 - books.google.com
... Message-Passing Standards 50 3.6.3 **Routing** 55 4 ... fetched and decoded, • addresses
of the **data** operands to ... Stage 3 = Add exponents and **multiply** mantissas Stage ...
Cited by 371 - Related articles - All 6 versions

[PDF] ▶ A Characterization of Communication Patterns in Isis Distributed Applications
MA Dietz, CS Ellis, 1995 - Citeseer
... to be used in only 1 to 2 **percent** of all messages and ... persistence to the **total** number
of messages, and we examine the histogram of ... **multiplying** by a drift factor ...
Cited by 4 - Related articles - View as HTML - All 6 versions

[PDF] ▶ Denial-OF-Service (DOS) Attacks and Commerce Infrastructure in Peer-to-Peer
Networks
N Daswani, 2004 - Citeseer
... IAS for Various PAMs with 5 **percent** malicious nodes . . ... evaluation of techniques
to **divide** up processing capacity to ... **maximum** number of nodes that we choose to ...
Cited by 3 - Related articles - View as HTML - All 3 versions

[BOOK] Proceedings of the 1995 International Conference on Parallel Processing
P Banerjee, CD Polychronopoulos, KA ..., 1995 - books.google.com
... table: Area Submitted Accepted Regular Concise Architecture Software Algorithms
TOTAL 160 90 115 ... A. Heirich and S. Taylor, "A Parabolic **Load Balancing** Method" ...
Related articles

Techniques for Communications and Geolocation using Wireless Ad Hoc Networks-
▶ wpi.edu [PDF]
H AhleHagh, 2004 - wpi.edu
... speed, (d) overhead **byte** transmitted vs. ... error variance of 0.001131 Figure 7.8:
Percentage of nodes ... They can further **divide** into proactive, reactive and hybrid ...
View as HTML

[PDF] ▶ Suitability of distributed mobile wireless networking for urban traffic congestion
mitigation
SN Humbad, 2001 - Citeseer
... financial support available for a commitment of 25 **percent** of their ... For Boston, the
estimated **total** congestion cost was about 1.65 ... **Multiply** that oversight by ...
Cited by 2 - Related articles - View as HTML - All 4 versions

[PDF] ▶ A Resource Monit or for Network-based Parallel Applications
D Jin, 1999 - collectionscanada.gc.ca
... 2.3.1 **Percentage** of CPU idie tirne and procesor speed ... 4.8 A Break-down of **Total** Sorting
Time men Tool ... architecture, **data** format, machine load, network load and ...
Related articles - View as HTML - All 3 versions

[PDF] ▶ COHRA: hardware-software cosynthesis of hierarchical heterogeneous distributed ...
BP Dave, NK Jha - IEEE Transactions on Computer-Aided Design of ..., 1998 - eref.uqu.edu.sa

... factor (EPUF) to indicate what **percentage** of package ... denote the minimum and **maximum** communication times in this ... against previous ones based on **total** dollar cost ...

[PDF] ▶ Emulation of TCP Performance Over WCDMA
O Teyeb, J Wigard, O Teyeb, J Wigard - FACE Deliverable, 2003 - cpk.auc.dk
... logical to assume that a considerable **percentage** of the ... the header is known as MTU (**Maximum** Transmission Unit ... the better, as that reduces the **total** overhead of ...

[BOOK] Introduction to Parallel Processing
M Sasikumar, PR Prakash, D Shikhare, 2004 - books.google.com
... can sometimes increase the **total** time required ... the effort involved in **dividing** the work ... pipelining, vectorisation, concurrency, **data** parallelism, partitioning ...

[BOOK] The complete e-commerce book: design, build & maintain a successful Web-based business
J Reynolds, 2004 - books.google.com
... with the experience, while less than **7 percent** were dissatisfied ... are growing steadily along with the **total** number of ... tab-delimited text files so the **data** can be ...

[PDF] ▶ Introduction to Programming Languages
AA Aaby, 1996 - upf.edu
... 5. Pragmatics 6. Abstraction and Generalization 7. **Data** and **Data** Structuring 8. Logic Programming ... 1 Introduction 1.1 **Data** 1.2 Models of Computation ...

[BOOK] The Complete Guide to Networking and Network+
M Graves, 2003 - books.google.com
... PLETE GUIDE TO NETWORKING AND NETWORK+ Exterior **Routing** Protocols 199 Chapter Summary 200 ... LAYER 205 Addressing in the Transport Layer 206 Packaging **Data** in the ...

[PDF] ▶ Performance availability for networks of workstations
RH Arpaci-Dusseau, 1999 - Citeseer
... 99 10.2.3 **Total** Work . ... 1 y all **Percent** of Peak Performance ... the number of components experiencing the performance fault is increased up to the **maximum** number of ...

[BOOK] Embedded cryptographic hardware: methodologies and architectures
N Nedjah, L de Macedo Mourelle, 2004 - books.google.com
... The **maximum** length of the original message before the ... 4) for the /-th message block 1) **Divide** the /-th ... for register update, and therefore the **total** number of ...

[PDF] ▶ Monitor placement for network attack attribution using information theory metrics
RY Liverpool, 2004 - archives.ece.iastate.edu
... Table 3. Number of Analogs (m) and **Maximum** Number of ... Table 7. **Percentage** of Times over all the Networks that ... Options fields and the first eight **bytes** of the ...

[PDF] ▶ Extensible interest management for scalable persistent distributed virtual environments
HA Abrams, 1999 - Citeseer
... 13. ABSTRACT (**maximum** 200 words) Eventually there will exist virtual environments inhabited by millions, but as virtual ... D. **DATA** AND ANALYSIS ... **Total** Entity Count ...

Design and Analysis of Parallel Hierarchical Battlefield Simulation

CP Masshardt, 1995 - Storming Media
... of the simulation, and the **total** number ... simulation, printed circuit board **routing**,
and digital ... construct multiple instruction, multiple **data** (MIMD) programs ...
Related articles - All 2 versions

Final Report for the 10 to 100 Gigabit/Second Networking Laboratory Directed Research ...
EL Witzke, LG Pierson, TD Tarman, LB DEAN, ..., 2001 - osti.gov
... I in that it provides a **maximum** payload of 512 **bytes** (instead of 64 **bytes** in ServerNet ...
Therefore, no software is involved in **data** transfers, unless an error ...
Cited by 2 - Related articles - View as HTML - All 3 versions

[PS] ► Software Approaches to Memory Latency Reduction for Scalable Shared-Memory ...
H Li, 1995 - white.toronto.edu
... 41 4.2 Speedups for Matrix **Multiply** on Hector ... 4 stations, each containing 4 processor
modules, for a **total** of 16 ... size in the **data** subcache is 64 **bytes**, and the ...
Related articles - View as HTML - All 11 versions

[PDF] ► Rendering and visualization in parallel environments
D Bartz, C Silva, B Schneider - ACM SIGGRAPH Course, 2000 - Citeseer
... the I/O and communicate via a **data** agent with the ... mesh of four crossbars) of an
aggregated **total** peak bandwidth ... such as CPU boards (C-brick), **routing** boards (R ...
Cited by 14 - Related articles - View as HTML - All 8 versions

3.3 Survivability in Wireless Mobile Networks
T Dahlberg, D Tipper, B Cao, C Charnsripinyo - Reliability, survivability and quality of large scale ..., 2002 -
books.google.com
... layers have been shown to provide **maximum** benefit ... The INS supports service **data**
management functions to ... termination probability indicate the **percentage** of these ...
Related articles

[PDF] ► Survivability Extensions for Dynamic Ultralog Environments
M Brittan, BCOSWAP WORKS, 2004 - dtic.mil
... of dealing with complex routings in **multiply** connected networks ... get inter-agent traffic
in units of **Bytes**/Sec, but ... without having to perform a **total** rewrite of ...
Related articles - View as HTML - All 4 versions

[BOOK] Pipelined processor farms: structured design for embedded parallel systems
M Fleury, AC Downton, 2001 - books.google.com
... 216 11.2.3 Characteristic **maximum** 217 11.2.4 ... Wavelet Transform FDDI Fibre Distributed
Data Interface FFT ... Light-Weight Process MAC **Multiply** Accumulate Operation ...
Cited by 5 - Related articles - All 2 versions

An Efficient Sort-Last Polygon Rendering Scheme on 2-D Mesh Parallel Computers
TY Lee, CS Raghavendra, JB Nicholas - Proceedings of the 1995 International Conference on ..., 1995 -
books.google.com
... the binary swap techniques, and our own **divide**-and- conquer ... In **total**, our algorithm
takes r+ c—2 steps to form a ... and the **data** for each triangle is 48 **bytes**. ...
Cited by 3 - Related articles - BL Direct

[PDF] ► Goal-oriented memory allocation in database management systems
KP Brown, 1995 - Citeseer
... increase in **total** memory consumption, while admitting additional transactions ... in
the extreme case of a **maximum** response time ... the same **percentage**, for example). ...
Cited by 20 - Related articles - View as HTML - BL Direct - All 4 versions

[PDF] ► Toward Scalable Cache Only Memory Architectures
E Hagersten, 1993 - Citeseer
... You should also try to **divide** the work evenly ... of course, but would not have yielded
maximum performance ... The proposed architecture,the **Data** Diusion Machine, was ...
Cited by 64 - Related articles - View as HTML - All 5 versions

[BOOK] Computer telephony encyclopedia
R Grigonis, 2000 - books.google.com
... in the next two years by 56 **percent** (Source: Schema). ... Bit (LSB) from every 8-bit
byte over- written to ... pressure have all combined to limit **maximum** targets for ...
Cited by 4 - Related articles - All 2 versions

[PDF] ▶ Designing graphics architectures around scalability and communication
M Eldridge, 2001 - Citeseer
... unique texture memory is the **total** amount of ... include scientific visualization of
large **data** sets, ... parallel stages, **routing**, which connects image parallel stages ...
Cited by 9 - Related articles - View as HTML - All 6 versions

▶ A **data** structure and query algorithm for a database of areal entities
DJ Abel, JL Smith - Australian Computer Journal, 1984 - acs.org.au
... at least 17 times (nearly half of the **maximum** number of ... our method provides up to
88 **percent** saving in ... must periodically be merged, to keep the **total** number of ...
Cited by 27 - Related articles - View as HTML - All 2 versions

[CITATION] Beowulf cluster computing with Linux
W Gropp, E Lusk, TL Sterling, 2003 - The MIT Press
Cited by 50 - Related articles - Library Search - All 5 versions

[BOOK] Parallel I/O for high performance computing
JM May, 2001 - books.google.com
... program is performing only floating-point **multiply**-add (FMA ... may operate at only a
few **percent** of peak ... available in 2000 that advertised a **maximum** transfer rate ...
Cited by 52 - Related articles - All 3 versions

[BOOK] Supporting service level agreements on IP networks- ▶ psu.edu [PDF]
D Verma, 1999 - books.google.com
... in a combination of voice and **data** communications technologies ... 93 4.2.3 Packet **Routing**
and **Routing** Protocols 97 ... the complaint, or that the **maximum** waiting time ...
Cited by 173 - Related articles - All 13 versions

[PDF] ▶ Evaluating the memory performance of a ccNUMA system
U Prestor - Master's thesis, Dept. of Computer Science, University ..., 2001 - Citeseer
... and trigonometric functions: integer and floating-point add, **multiply** and **divide**,
complex arithmetic ... it makes no attempt to subtract it from the **total** time. ...
Cited by 6 - Related articles - View as HTML - All 7 versions

Synchronized MIMD computing- ▶ kfupm.edu.sa [PDF]
E Leiserson, BC Kuszmaul - Massachusetts Institute of Technology, Department of ..., 1994 -
eprints.kfupm.edu.sa
... 5-10 The **total** work of each of 25 chess ... insult to injury, after doing the vector
multiply, the **data** ... in 1979, included a control network and a **data** network that ...
Related articles - View as HTML - All 5 versions

[BOOK] Performance modeling for computer architects
CM Krishna, 1996 - books.google.com
... tails that result: only with whether that **total** number is ... for the waiting room
and the **maximum** number of ... We **divide** the methods used into three main areas ...
Cited by 6 - Related articles - All 2 versions

A generational algorithm to multiprocessor cache coherence
T Chiueh - Proceedings of the 1993 International Conference on ..., 1993 - books.google.com
... In some instances, the **percentage** of consistency-related to ... C translator) and MM
(a sparse matrix vector **multiply**). ... The **total** first level miss ratio on a semi ...
Cited by 4 - Related articles - BL Direct - All 4 versions

[PDF] ▶ Scaling Control Traffic in Network Protocols& quot;, quals proposal, unpublished ...

P Sharma, 1996 - eprints.kfupm.edu.sa
... The goal is to keep the **total** bandwidth being used below ... The **multiplying** factor is
determined by the degree of ... at the sender is to equally **divide** the allocated ...
Related articles - View as HTML

Proximity-based cluster allocation for hardware-software co-synthesis of heterogeneous ...
BP Dave - US Patent 6,230,303, 2001 - freepatentsonline.com
... factor (EPUF) to indicate what **percentage** of package ... transition rate is determined
by **multiplying** its clock ... architecture is estimated by **dividing** the **total** ...
Cited by 6 - Related articles

[PS] ▶ An integrated approach to end-to-end analysis of distributed video-on-demand systems
PV Mundur, 2000 - cs.umbc.edu
... guaranteed services along the **routing** path of the requests is ... **maximum** and minimum
end-to-end delay in any ... jitter indicates that the multimedia **data** will arrive ...
Cited by 3 - Related articles - View as HTML - All 2 versions

[PDF] ▶ Effective parallel computation on workstation cluster with a user-level communication ...
JC Hoe, 1994 - dspace.mit.edu
... 6.5 Processor Scalability: **Multiplying** 256-by-256 Square Matrices ... network based on
the Arctic (A **Routing** Chip ... Under this protocol, when a **data** packet arrives ...
Cited by 6 - Related articles - All 2 versions

[TXT] ▶ Cilk: Efficient multithreaded computing
KH Randall, CE Leiserson - Massachusetts Institute of Technology, 1998 - historical.ncstrl.org
... 6 The work overhead c1 is only a few **percent** larger than 1 ... algorithm shown in Figure
4-1. To **multiply** one n \Theta n matrix by another, we **divide** each matrix ...
Cited by 80 - Related articles - Cached - All 7 versions

[PDF] ▶ A parallel software-only video effects processing system
KD Mayer-Patel, 1999 - Citeseer
... For The Uncompressed Scalar **Multiply** Operator 75 ... 95 5.10 Interleaver Buering Frame
Drop **Percentage** vs ... reliable, congestion-controlled, **byte**-stream communication ...
Cited by 6 - Related articles - View as HTML - All 9 versions

Real-Time Embedded High Performance Computing: Application Benchmarks
RA Games, JD Ramsdell, CP Brown, MI ..., 1995 - Storming Media
... can perform a single precision **multiply** and addition in ... that can be processed with
maximum efficiency is ... constraints are paramount, the **percent** of utilization ...

[PDF] ▶ Discovery and application of network information
B Lowekamp, 2000 - Citeseer
... 1.1 Time, in seconds, for a 16000 **byte** broadcast on ... reducing the congestion so a
higher **percentage** of packets ... rather low, but with bursts of **maximum** utilization ...
Cited by 15 - Related articles - View as HTML - All 10 versions

Toward Scalable Cache Only Memory Architectures- ▶ kfupm.edu.sa [PDF]
C Victor, E Hagersten - Swedish Institute of Computer Science, 1992 - eprints.kfupm.edu.sa
... You should also try to **divide** the work evenly ... of course, but would not have yielded
maximum performance ... The proposed architecture,the Data Diusion Machine, was ...
Related articles - View as HTML - All 2 versions

[PDF] ▶ Programmable logic design for an optical access network
S Lallukka, 2003 - vtt.fi
... **Data**- com, telecom and broadcast traffic is conventionally transported over separated
networks, which is a major cost factor in network management for operators ...
Related articles - View as HTML - All 2 versions

[PDF] ▶ Adaptive Channels for Wireless Networks
JV Guttag, 1999 - Citeseer

... Plot of the break-even time, T B , as a function of the **percent** increase in ... running
Linux with a 33 Mhz, 32 bit wide PCI bus, the **maximum** continuous **data ... bytes ...**
Related articles - View as HTML - All 6 versions

[TXT] ▶ Using Problem Topology in
LML CRPC-TR94477-S, LM Liebrock - Center for Research on Parallel Computation Rice ..., 1994 -
historical.ncstrl.org
... 1(npP \Gamma 1) yielding a **total** communication of ... be computing between 93 and 97
percent as much ... minimal information necessary for reducing **data** movement for ...
Cached

[BOOK] Interdisciplinary computing in Java programming
SC Wang, 2003 - books.google.com
... Primitive **data** types in Java. Their size/format, minimum, and **maximum** val- ues
accessible via Type . MIN_VALUE and Type. MAX-VALUE, where Type can be **Byte**, ...
Cited by 2 - Related articles

Embedding two-dimensional grids into hypercubes with dilation 2 and congestion 5
Y Cai, SHS Huang, CC Lin - Proceedings of the 1995 International Conference on ..., 1995 - books.google.com
Page 125. 1995 International Conference on Parallel Processing Embedding
Two-Dimensional Grids into Hypercubes with Dilation 2 and ...
Cited by 2 - Related articles - BL Direct

Google ▶

Result Page: 1 2   **Next**

dividing multiplying percentage maxi [Search]

Go to Google Home - About Google - About Google Scholar

©2009 Google